

FIG. 2A




FIG. 2B

File Edit View Favorites Tools Help

Back Forward Stop Refresh Home Search Favorites History Mail Print

Address <http://www.ni.com/pxiconfig/pxistart.htm> Go Links »

PXI Products Main
Help
Search Site:

Seek

PXI Configurator

PXI Chassis Options

- Select your PXI chassis:
 - ☒ [PXI-1000](#) (1 controller slot, 7 PXI/CompactPCI peripheral slots)
 - ☐ [PXI-1010](#) (1 controller slot, 7 PXI/CompactPCI peripheral slots, 4 SCXI slots)
 - ☐ [PXI-1020](#) (1 controller slot, 7 PXI/CompactPCI peripheral slots, built-in LCD screen, CD-ROM drive, and pointing device)
 - ☐ [PXI-1025 MegaPAC](#) (1 controller slot, 7 PXI/CompactPCI peripheral slots, built-in LCD screen, CD-ROM drive, and keyboard in rugged chassis)
- Select your power supply type:
 - ☒ Universal AC input power supply (300 W)
 - ☐ Combination DC and AC input power supply (150 W) - n/a on PXI-1010
- Select a power cord:

<input type="checkbox"/> U.S. 120 VAC	<input type="checkbox"/> Japan 100 VAC
<input type="checkbox"/> United Kingdom 240 VAC	<input type="checkbox"/> Swiss 220 VAC
<input type="checkbox"/> Australian 240 VAC	<input type="checkbox"/> Universal Euro 240 VAC

FIG. 3




FIG. 4




FIG. 5




FIG. 6